


## Installing McAfee VirusScan 4.5.1 for Windows

**IMPORTANT:** Because Setup installs some VirusScan files as services on Windows NT Workstation v4.0 and Windows 2000 Professional systems, you must log in to your system with Administrator rights to install this product. To run Setup on Windows 95 or Windows 98, you do not need to log in with any particular profile or rights.

To begin installation, either:

- Insert the compact disc with your VirusScan 4.5.1 copy into your CD-ROM drive; or
- [Download VirusScan 4.5.1](#). Save the file to your hard disk. After downloading, double click the saved installation file to extract the files.




If you download the software, you will need to extract the installation software. Unzip to folder C:\Temp and click Unzip.

After the files are extracted, navigate to C:\Temp using My Computer and double click the Setup file.

If you are installing from a CD, navigate to your CD drive and double click the Setup file.


Setup will first verify that your computer has Microsoft Installer v1.1 already installed. If it does not, Setup will install the files it needs to continue with the installation, then will ask you to restart your computer.

If your computer has the necessary software, Setup will display the welcome panel for the VirusScan installation. If your computer is running Windows 2000 Professional, you should already have the correct software installed.



The welcome message asks you to read this README.TXT document.

Click **Next** to continue.



Read the terms of the license agreement.

If you do not agree to the terms, select I Do Not Agree, and then click **Next**. Setup will stop immediately.

Otherwise, select I Agree to the Terms of the License Agreement, click **Next** to continue.

If you have a previous VirusScan version installed on this computer, Setup will detect that version and offer to remove it before continuing with your current installation. You have these


options:

\* If you install the new VirusScan version on a system that runs Windows 95 or 98, you can have Setup preserve some of your previous VShield settings from VirusScan software versions 4.0.1 and later. Select the Preserve On Access Settings checkbox to do so. This is not supported for Windows NT Workstation v4.0 or Windows 2000 Professional systems.

\* If you install the new VirusScan version on any supported operating system, Setup includes a checkbox that asks whether you want to remove the previous version's installation directory even if files remain after installation. If you clear this checkbox, Setup will delete all previous program files, but will leave custom settings files and log files intact. If you select this checkbox, Setup will delete the entire directory and all files in it.

The best option is to remove the program through the Control Panel prior to beginning this new installation. If this is not possible, choose to remove previous version's installation directories. Then click **Next** to continue.

Setup next checks to see whether your system has any incompatible software, including other conflicting virus scanners. If it does, Setup removes it from your system.




If your system runs Windows 95 or Windows 98, skip to the next step.

Otherwise, Setup asks you whether you want to run this VirusScan installation with Maximum or Standard security.



Setup next asked you to choose a Typical or a Custom setup for this computer.




Setup next asked you to choose a Typical or a Custom setup for this computer.

Select Typical in the Setup Type wizard panel, and then click **Next**.


The typical installation copies these VirusScan components to your hard disk:

- \* The VirusScan application
- \* The VShield background scanning component, but without the E-Mail Scan, Download Scan or Internet Filter modules. To install these modules, you must choose the Custom installation option.
- \* The Alert Manager Client configuration component
- \* The VirusScan Console
- \* The AutoUpdate and AutoUpgrade components
- \* VirusScan Command Line
- \* The Emergency Disk wizard




Setup tells you that it is ready to begin the installation.

Click **Install** to continue.



At this point, you should make sure **Run Default Scan** is checked and click **Next** to continue.



Setup will display a configuration panel to update your virus definition files or to configure the AutoUpdate utility for future update operations.

You should select **Run AutoUpdate Now** and click **Next**.



The utility will connect to the McAfee website to download new definition files.

After it finishes, Setup will resume. Select the **Start VirusScan** checkbox, and click **Finish**.

Your software is now installed.

Always remember these rules: Your anti-virus software is only as good as it's updates and only beneficial if you run scans on your system frequently. It is not good enough to just have anti-virus software on your system, it must be recent and a scan must occur after it is updated WEEKLY.

You should configure the software to automatically update itself and to scan for viruses regularly. Please see the configuration links on the main [VirusScan](#) page at <http://comm.ncifcrf.gov> for further information.